

info**safe** CS: 1.7.8

#### Page: 1 of 5

ISSUED by FUCHS

Infosafe No™ 5FVM3

Issue Date : August 2019

Product Name JCB OPTIMUM PERFORMANCE ENGINE OIL 15W40

Not classified as hazardous

1. Identification	
GHS Product	JCB OPTIMUM PERFORMANCE ENGINE OIL 15W40
Identifier	4575
Product Code	JCB Product Codes: 4001/2801C, 4001/2805C, 4001/2803C, 4001/2845C
Company Name	JCB Construction Equipment Australia
Address	13 Yagine Close, Perth Airport WA 6105 Australia
Telephone/Fax Number	Tel: 1300 522 232
Emergency phone number	1300 522 232. After Hours: +61 400 229 218.
Recommended use of the chemical and	Engine oil.
restrictions on use Other Information	This SDS was issued by Fuchs Lubricants (Australasia) Pty. Ltd.

### 2. Hazard Identification

GHS classification of the substance/mixture	AUSTRALIA Not classified as hazardous according to Work, Health and Safety Regulations (WHS), Australia. Not classified as dangerous goods according to the ADG Code.
	NEW ZEALAND Not classified as hazardous according to the Hazardous Substance (Minimum Degree of Hazard) regulations 2001. Not classified as dangerous goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

Ingredients	Name	CAS	Proportion	
	Mineral oil Other ingredients determined not to be hazardous		>60% To 100%	

### 4. First-aid measures

Inhalation	Remove victim from exposure - avoid becoming a casualty. If symptoms develop seek medical attention.
Ingestion	DO NOT induce vomiting. Rinse mouth thoroughly with water immediately. If symptoms develop seek medical attention.
Skin	Remove contaminated clothing and wash skin thoroughly with soap and water. If symptoms develop seek medical attention.
Eye contact	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. If symptoms persist seek medical attention.
<b>First Aid Facilities</b>	Normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Most important symptoms/effects, acute and delayed	Refer to section 11.

#### 5. Fire-fighting measures

Suitable	Use	CO2,	dry	chem	ical	or	foam.
extinguishing media Unsuitable	Stra	aight	stre	eams	of wa	ater	î.
Extinguishing Media							



### Page: 2 of 5

Infosafe No™					
1111000410 110	5FVM3Issue Date :August 2019ISSUED by FUCHS				
Product Name	JCB OPTIMUM PERFORMANCE ENGINE OIL 15W40				
	Not classified as hazardous				
Hazards from Combustion Products	Combustion products may include oxides of carbon, nitrogen and sulfur as well as unidentified organic and inorganic compounds.				
Special Protective Equipment for fire fighters	Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion.				
Specific hazards arising from the chemical	No special hazards arising from the use of the product.				
6. Accidental relea	ase measures				
Spills & Disposal	Contain - prevent contamination of drains and waterways. Use absorbent (soil or sand, sawdust, inert material, vermiculite). Collect and seal in properly labelled drums for disposal. Dispose of waste as per Local, State and Federal Land Waste Management Authorities.				
Personal Precautions	Use suitable protective equipment (Section 8).				
Environmental Precautions	Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.				
7. Handling and st	torage				
Precautions for Safe Handling	Put on appropriate personal protective equipment (see Section 8). Workers should wash hands and face before eating, drinking and smoking. Take precautionary measures against static discharges. Keep containers tightly closed when not in use. Empty containers retain product residue. Do not reuse container.				
Conditions for safe storage, including	Store in a cool, dry, well-ventilated area away from sources of ignition, strong oxidizing agents and foodstuffs.				
any incompatabilities					
v i	ols/personal protection				
v i	The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear:				
8. Exposure controls,	The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye				
8. Exposure controls, Exposure Controls, Personal Protection Occupational	The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210. No value assigned for this specific material by the National Occupational Health and Safety Commission (Safe Work Australia).				
8. Exposure controls, Exposure Controls, Personal Protection Occupational exposure limit values Biological Limit	The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210. No value assigned for this specific material by the National Occupational Health and Safety Commission (Safe Work Australia). National Exposure Standards: Oil mist - TWA 5mg/m3, STEL 10mg/m3 No biological limits allocated. Maintain concentration below recommended exposure limit. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use				
8. Exposure controls, Exposure Controls, Personal Protection Occupational exposure limit values Biological Limit Values Appropriate	The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210. No value assigned for this specific material by the National Occupational Health and Safety Commission (Safe Work Australia). National Exposure Standards: Oil mist - TWA 5mg/m3, STEL 10mg/m3 No biological limits allocated. Maintain concentration below recommended exposure limit. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependent upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Reference should be made to Australian/New Zealand Standards AS/NZS 1715/1716.				
8. Exposure controls, Exposure Controls, Personal Protection Occupational exposure limit values Biological Limit Values Appropriate engineering controls Respiratory	The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210. No value assigned for this specific material by the National Occupational Health and Safety Commission (Safe Work Australia). National Exposure Standards: Oil mist - TWA 5mg/m3, STEL 10mg/m3 No biological limits allocated. Maintain concentration below recommended exposure limit. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependent upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances.				
8. Exposure controls, Exposure Controls, Personal Protection Occupational exposure limit values Biological Limit Values Appropriate engineering controls Respiratory Protection	The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210. No value assigned for this specific material by the National Occupational Health and Safety Commission (Safe Work Australia). National Exposure Standards: Oil mist - TWA 5mg/m3, STEL 10mg/m3 No biological limits allocated. Maintain concentration below recommended exposure limit. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependent upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Reference should be made to Australian/New Zealand Standards AS/NZS 1715/1716.				

AppearanceClear brown liquidOdourCharacteristic

Print Date: 31/10/2019



### Page: 3 of 5

Issue Date :August 2019

ISSUED by FUCHS

Product Name JCB OPTIMUM PERFORMANCE ENGINE OIL 15W40

Not classified as hazardous

<b>Boiling Point</b>	>300°C/typical
Solubility in Water	Insoluble
рН	Not available
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Pour Point	Not available
Density	0.878 @ 15°C/typical
Flash Point	>200°C/typical
Flammability	Combustible
Flammable Limits - Lower	Not determined
Flammable Limits - Upper	Not determined
Kinematic Viscosity	115 cSt @ 40°C/typical 14.9 cSt @ 100°C/typical

### 10. Stability and reactivity

Reactivity	Reacts with incompatibles.
Chemical Stability	Stable under normal conditions of use and storage.
<b>Conditions to Avoid</b>	Heat and other sources of ignition.
Incompatible Materials	Strong oxidizing agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide.

### **11. Toxicological Information**

Toxicology Information	No toxicology data available for this product.
Ingestion	No adverse effects expected if swallowed in small doses. Ingestion of large quantities may cause gastro-intestinal effects.
Inhalation	Not normally considered to be a hazard due to the non-volatile nature of the product. Inhalation of oil mist/vapour from heated material may cause irritation of the upper respiratory system.
Skin	Contact with skin may result in irritation. Prolonged or repeated skin contact may lead to irritation and dermatitis.
Eye	May cause slight eye irritation.
Respiratory sensitisation	Not considered to be a respiratory sensitiser.
Skin Sensitisation	Not considered to be a skin sensitiser.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not considered to be an aspiration hazard.
Other Information	Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks

Print Date: 31/10/2019



#### Page: 4 of 5

Infosafe No™ 5FVM3

Issue Date :August 2019

ISSUED by FUCHS

#### Product Name JCB OPTIMUM PERFORMANCE ENGINE OIL 15W40

#### Not classified as hazardous

to health and environment on disposal. All used oils should be handled with caution and skin contact avoided as far as possible.

#### **12. Ecological information**

Ecotoxicity	No data is available for this product.
Persistence and degradability	No data is available for this product.
Mobility	No data is available for this product.
Bioaccumulative	No data is available for this product.
Potential Environmental	Do not allow product to enter drains, waterways or sewers.
Protection Sewage Treatment	No data is available for this product.

#### 13. Disposal considerations

DisposalDispose of waste according to federal, EPA, state and local regulations.Considerations

#### **14. Transport information**

Transport	Not classified as Dangerous Goods according to the Australian Code for the
Information	Transport of Dangerous Goods by Road and Rail (ADG).
UN Number (Air	Not regulated for air transport according to International Air Transport
Transport, ICAO)	Association (IATA) Dangerous Goods Regulations.
IMDG UN No	Not regulated for sea transport according to International Maritime Dangerous Goods (IMDG).

#### **15. Regulatory information**

Poisons Schedule Not Scheduled

#### **16. Other Information**

Date of preparation or last revision of SDS	Issue Date: 02/12/2014 Supersedes Issue Date: Not applicable. Reason(s) for issue: First issue.
Literature References	<pre>* Safe Work Australia, Code of Practice for Preparation of Safety Data Sheets for Hazardous Chemicals. [December 2011] * Safe Work Australia - Guidance on the Classification of Hazardous Chemicals Under the WHS Regulations. [April 2012] * Model Work Health and Safety (WHS) Regulations, 2011 * United Nations - Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Third revised edition. [2009] * Managing Risks of Hazardous Chemicals in the Workplace, Code of Practice 2012. [Model Code of Practice] * Workplace Exposure Standards for Airborne Contaminants, 2011 (Archived). List available online, URL - http://www.hsis.safeworkaustralia.gov.au/ * Guidance on the Interpretation of Workplace Exposure Standards for Airborne</pre>
Contact Person/Point	Contaminants, 2013 In conjunction with Safe Work Australia's 'Workplace Exposure Standards for Airborne Contaminants' * SUSMP, Standard for the Uniform Scheduling of Medicines and Poisons * ADG, Australian Dangerous Goods Code * IMDG Code, International Maritime Dangerous Goods Code * IATA Dangerous Goods Regulations, International Air Transport Association * SDS of component materials This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorosed use of this information or for any modified or altered versions.



#### Page: 5 of 5

Infosafe No™ 5FVM3

Issue Date : August 2019

ISSUED by FUCHS

### Product Name JCB OPTIMUM PERFORMANCE ENGINE OIL 15W40

#### Not classified as hazardous

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.